



Bombardier Recreational Products
10101 Science Drive
Sturtevant, WI 53177
www.evinrude.com



Premier Marine
26612 Fallbrook Ave.
Wyoming, MN 55092
Tel: (651) 462-2880
1-800-815-6392
www.pontoons.com



2007 Premier 231 Alante

BOAT	
2007 Premier 231 Alante	
Material:	Aluminum
Length:	24' 3"
Beam:	8' 6"
Weight w/o Engine:	1980 LBS Dry
Maximum HP:	120 HP
Fuel Capacity:	33 Gallons
Transom height:	20" Shaft
Steering:	Cable

ENGINE	
2007 Evinrude® 90 HP ETEC®	
Engine Type:	3 Cyl
Horsepower:	90 @ 5000 RPM
Displacement:	.79 Cu. In.
Induction:	ETEC DFI
Operating Range:	4500-5500 RPM
Weight:	320 LBS Dry Weight
Gear Ratio:	2.0:1

PROPELLER	
BRP	
Material:	Aluminum
Diameter/Pitch:	14" x 11"
No. of Blades:	3
Part Number:	763301
MOUNTING HEIGHT	
Hole Position:	#2
Jack Plate:	N/A
AV Mounting:	N/A

PERFORMANCE DATA				
RPM	MPH	GPH	MPG	RANGE
750	2.4	0.18	13.5	401
1000	3.6	0.27	13.1	391
1500	4.7	0.98	4.8	142
2000	5.7	1.06	5.4	160
2500	7.8	1.67	4.7	139
3000	11.7	2.09	5.6	167
3500	14.6	3.23	4.5	135
4000	17.1	4.18	4.1	122
4500	19.1	4.81	4.0	118
5000	21.1	6.37	3.3	98
5600	23.5	8.03	2.9	87
Range (miles) Based on 90% Fuel Capacity				

TEST CONDITIONS	
Water Conditions:	Calm
Wind Velocity:	5 MPH
Air Temperature:	70° F
Fuel Load:	33 Gallons Full
Weight:	1 Man (200 lbs.) Fuel, Test Gear 20 lbs.

PERFORMANCE SUMMARY	
Top Speed:	23.5 MPH
Best Fuel Efficiency:	5.6 MPG with a range of 167 miles @ 11.7 MPH



NOTE: Data may vary due to changes in weather and water conditions, elevation, load and boat bottom conditions, boat, engine and propeller options and conditions, and operator ability. Speed and fuel were calculated by NMEA 2000 I-Command. Test performed and certified by BRP OEM Applications Engineering.

© 2006 BRP US Inc. All rights reserved.

™ ® Trademarks and Registered Trademarks of Bombardier Recreational Products Inc. or its affiliates.

